DESCRIPTION

TIGER MASTER

	Anti slip plastic toe cap EVA safety rain boots for cold storage				
Color	Orange upper with orange sole				
Size	40-47 (6-13)				
Height 3	37-38 cm				
Average weight 0	0.9-1.1 kg/pr				
upper & sole material	100% EVA				
lining C	Cottonl lining				
Construction E	EVA				
Standard M	Meet CE EN ISO 20345				
Plastic Toe Protection	Meet 200 Joule				
Compression Resistant (Steel Toe Protection)	Meet Newton 1500				
Puncture (Kevlar mid sole)	Meet Newton 1100				
Characteristics 23455	 Water / Acid / Alkali / oil / grease resistant, non-slip EVA boots Plastic toe can be Impact resistant 200 joules, compression resistant 1500 Newton. Kevlar mid sole can be puncture resistant 1100 Newton. outsole is abrasion resistant and Contract. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel resistant at low temperatures, keep warm. 				
Guarantee:	5 months				
Package: 1	1 pair per poly bag, 14 pairs per carton				
G.W./N.W.:	16KGS/ 14KGS				
Sample: 0	one piece can be sent to you as your quality check, the courier fees will be paid by buyer				

PRODUCT PICTURES

TIGER MASTER





COMPANY INFORMATION

TIGER MASTER

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for safety products, especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.








TIGER MASTER OFFICE SHOW





TIGER MASTER SAMPLE ROOM

















PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website https://china-workwear.com























