

Product Name:	Suede leather TPU sole sport safety shoe
Item No:	HA1009T
Upper and Sole:	Suede leather, TPU sole.
Toe:	1. Steel toe cap to be impact resistant . (ASTM F2413-05 M I/75 C/75, CE ENISO 20345 STANDARD, A variety of fitting to choose from)
	2. non-steel toe is also provided.
Steel plate : (steel midsole)	1. Steel plate to be puncture resistant. (ASTM F2413-05 M I/75 C/75, CE ENISO 20345 STANDARD, A variety of fitting to choose from)
	2. non-steel plate is also provided
Collar:	Fabric with heavy duty sponge
Tongue:	perfect soft suede leather
Lining:	MESH FABRIC
Sockliner:	Comfortable cushion
Construction:	TPU injection
Height:	Low Cut
Size:	4—12 (38-46)
Guarantee:	3 month, heavy duty and solid quality.
Package:	Color inner box packing, 10 pairs in a carton
Carton Size	56x38x31.5cm (38-40); 58.5x40x32.5cm (41-43); 61x42x35cm (44-46)
Load quantity of Container:	3300-3500pairs /1x20' container 8200-8500pairs /1x40' HQ container

FAQ:

1.Question: What is your MOQ ?

----Our MOQ is 1000 pairs per style with mixed size.

2.Question: Can I ask one pair samples before place order?

----Yes we can send you one pair sample for free as your quality check, but customer need to pay courier cost by themselves, such as DHL, TNT, Fedex, EMS etc.

3.Question: Do you have CE certificate ,we need it to clear custom?

----Yes, our products can meet CE standard ,and we have cooperation relationship with different international labs, including interteck from UK, CTC from France SABS from South Africa etc

4.Question: What is your payment , how can we pay you ?

----Our company can accept both T/T, and L/C payment. If you have any other payment requirements ,please leave message or contact our online salesman directly.

5. Question: What is the quality guarantee time?

----This sytle safety shoes are offered 3 month quality guarantee after shipping. If the shoes are broken within 3 month, please contact us, we will compensate you new shoes without any payment.

Suede leather TPU sole safety shoes pictures:





Safety shoes sole model show:

