

## Product Description

1. The Tiger master high qualities safety boots is an updated style that providing improved fit and comfortability. This lace-up safety shoe also features superior work protection, a slip-resistant RUBBER outsole for excellent stability.
2. Soft sandwich mesh fabric lining for a comfort fit.
3. Removable metatomeal HI-POLY footbed provides long-lasting underfoot support and comfort.
4. Steel toe cap for safety shoes to be impact resistant 200 joules. To protect your feet toe without hazard.
5. Steel mid plate insert the safety shoes to be puncture resistant 1100 newtons. To protect your feet without puncture by nail or sharp objects.
6. Made by crazy horse leather upper, Comfortable, highly flexible, breathable, anti dust and wind.
7. Non-marking rubber outsole is oil and slip resistant that meets CE standard. Heat resistant the degree of 300. It features siped tread design that disperses liquids quickly for reliable traction.
8. Injection moulded construction, Stable quality, fast speed, environmental protection.
9. Safety Shoes Catagory:

**OB:** Non-Safety, **SB:** With Steel Toe Only, **SBP:** With Steel Toe and Steel mid-sole

**S1:** SB+Anti-static, **S1P:** S1+Steel Plate, **S2:** S1+Water Proof, **S3:** S1P+Water Proof

10. Tiger master safety shoes are used for workers to prevent the hurt from jobs. Your safety is always our concern!

Item No:	TM131
Upper and Sole:	Upper: Crazy horse leather Sole: PU & Rubber out sole
Toe:	1. Steel toe cap to be impact resistant 200 Joules. 2. non is also provided.
Midsole :	1. Steel plate to be puncture resistant 1100 newton. 2. Non is also provided
Weight:	1.2 kgs/pr
Collar:	High density oxford fabric with sponge
Tongue:	High density oxford fabric & crazy horse leather
Lining:	Black air & dry sandwich mesh fabric (Your feet will be kept dry and comfortable)
Sockliner:	Moulded HI-POLY or PU (Greatly reduce your pain & fatigue from daily work)
Construction:	Injection
Height:	High ankle
Size:	37-47 (3-13)
Standard:	CE EN ISO 20345 SBP SRC or others as your requirements

Function:	HRO, oil/ acid/ petrol/ chemical/ impact/ puncture/ slip resistant, antistatic, shock absorption.
Guarantee:	6 months
Package:	Color inner box packing, 10 pairs in a carton.
Carton Size	59 x 44 x 33 cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

## Product Pictures








***Company Information***



## TIGER MASTER OFFICE SHOW



## TIGER MASTER SAMPLE ROOM




## SAFETY SHOES TEST



Toecap Test  $\geq 200$  Joules

Midsole Test  $\geq 1200$  Newtons

ESD Anti-Static Test



Tear Strength  $\geq 120$ N

Bondness Test  $\geq 4.0$ N/mm

Flex Tester  $\geq 36.000$ T



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)