

DESCRIPTION

TIGER MASTER

1. The Tiger master safety shoes is an updated style that providing improved fit and comfortability. This lace-up safety shoes also features superior work protection, a slip-resistant PU outsole for excellent stability.
2. Mesh and moisture-wicking textile linings for a drier, more breathable foot environment.
3. Removable metatomeal EVA footbed provides long-lasting underfoot support and comfort.
4. Steel toe cap for safety shoes to be impact resistant 200 joules. To protect your feet toe without hazard.
5. Steel mid-sole insert the safety shoes to be puncture resistant 1100 newtons. To protect your feet without puncture by nail or sharp objects.
6. Made by embossed split cow leather upper, Comfortable, highly flexible, anti dust and wind.
7. Injection moulded construction, Stable quality, fast speed, environmental protection.
8. Safety Shoes Catagory:
OB: Non-Safety, **SB:** With Steel Toe Only, **SBP:** With Steel Toe and Steel mid-sole
S1: SB+Anti-static, **S1P:** S1+Steel Plate, **S2:** S1+Water Proof, **S3:** S1P+Water Proof
9. Tiger master safety shoes are used for workers to prevent the hurt from jobs. Your safety is always our concern!

Item No:	TM061
Upper and Sole:	Upper: Embossed split cow leather; Sole: PU/ PU dual density sole
Toe:	1. Steel toe cap to be impact resistant 200 joules.
	2. non is also provided.
Midsole :	1. Steel mid-sole to be puncture resistant 1100 newtons.
	2. non is also provided
Collar:	PU artificial leather
Tongue:	PU artificial leather
Lining:	Soft air mesh fabric lining for a comfort fit
Shoe pads:	Removable moulded EVA insole offers superior underfoot support and cushioned comfort
Construction:	Injection moulded
Height:	Middle cut
Size:	36-47
Standard:	CE EN ISO 20345 Sb-P SRC or others
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Function:	Slip/ oil/ acid/ petrol/ chemical/ impact/ puncture resistant, shock absorption, anti static and water proof available

Package:	1 pair per color box, 10 pairs per carton. Carton size: 59 x 44 x 33 cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

PRODUCT PICTURES

TIGER MASTER



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





PACKING



COMPANY INFORMATION

TIGER MASTER


Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for **PPE (Personal protective equipment)**, especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

TIGER MASTER OFFICE SHOW



姓名



姓名



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toe cap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muffs/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)