

DESCRIPTION

TIGER MASTER

1. The Tiger master executive safety shoes is an updated style that providing improved fit and comfortability. This no laces safety shoe also features superior work protection, a slip-resistant PU outsole for excellent stability.
2. Soft PU leather linings for a drier, more breathable foot environment.
3. Removable metatological HI-POLY footbed provides long-lasting underfoot support and comfort.
4. Composite toe cap for safety shoes to be impact resistant 200 joules. To protect your feet toe without hazard.
5. Aramid fiber mid-sole insert the safety shoes to be puncture resistant 1100 newtons. To protect your feet without puncture by nail or sharp objects.
6. Made by microfiber leather upper, Comfortable, highly flexible, breathable, anti dust and wind.
7. Injection moulded construction, Stable quality, fast speed, environmental protection.
8. Safety Shoes Catagory:
OB: Non-Safety, SB: With Steel Toe Only, SBP: With Steel Toe and Steel mid-sole
S1: SB+Anti-static, S1P: S1+Steel Plate, S2: S1+Water Proof, S3: S1P+Water Proof
9. Tiger master safety shoes are used for workers to prevent the hurt from jobs. Your safety is always our concern!

PRODUCT PICTURES

TIGER MASTER



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





01

Composite Toe

Anti-Shock Composite toe cap

Composite toe cap design giving protection from dangerous falling objects

European Standard Composite Toe Cap

- ① Composite toe shoes with CE standard
- ② Impact resistance of 200J
- ③ Widened Composite Toe
- ④ Pressure resistance > 15KN



02

Puncture Proof

Puncture Proof Midsole

Aramid fiber mid-sole puncture proof 1100 newtons,
To protect your feet without puncture by nail or
sharp objects.

Aramid Fiber midsole



03

Anti-Slip

PU Out Sole

Slip-resistant PU outsole meets CE EN ISO
20345:2011 Non-Slip Testing Standards.

**Provides stronger wear-resisting,
a slip-resistant PU outsole for excellent stability.**



04

Breathable&Soft

Upper & Insole

Waterproof Microfiber Leather Upper

Removable metatological HI-POLY footbed provides long-lasting underfoot support and comfort.



Waterproof leather upper



PACKING

TIGER MASTER

1 pair per color box, 10 pairs per caton.

Carton size: 58.5 x 40 x 32.5 cm.

G.W./N.W.: 13 kgs/ 11kgs

PACKING



COMPANY INFORMATION

TIGER MASTER

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for **PPE (Personal protective equipment)**, especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toe cap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

TIGER MASTER®

Canton Fair



TIGER MASTER®
Safety Shoes | Rain Boots



PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muffs/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)