DESCRIPTION

TIGER MASTER

Oil acid resistant non-slip anti impact prevent puncture oil industry shoes			
TM116			
Upper: Embossed split cow leather Sole: PU & rubber sole			
1. Composite toe cap or steel toe cap to be impact resistant. To protect your feet toe without hazard.			
2. non is also provided.			
1. Kevlar insoles or steel plate to be puncture resistant. To protect your feet without puncture by nail or sharp objects.			
2. non is also provided			
High density oxford fabric			
High density oxford fabric			
Soft air sandwich mesh fabric (it will be kept your feet comfortable)			
Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work)			
Injection			
Mid cut			
38-46			
CE EN ISO 20345:2011 SB-P SRC or others.			
6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.			
1 pairs per color inner box packing, 10 pairs in a carton.			
59 x 44 x 33 cm			
3200pairs /1x20' container 6400pairs /1x40' container			

PRODUCT PICTURES

TIGER MASTER







SLIP- SHOCK ABSORPTION







ANTI-STATIC PETROL AND CHEMICAL MIDSOLE RESISTANT





OIL RESISTANT









COMPANY INFORMATION

TIGER MASTER

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for PPE (Personal protective equipment), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.









TIGER MASTER OFFICE SHOW





TIGER MASTER SAMPLE ROOM





SAFETY SHOES TEST





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



ESD Anti-Static Test



Tear Strength ≥120N



Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T

Canton Fair





SAFETY SHOES



RAIN BOOTS





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER























