

## Product Description

Product Name:	Tiger master brand anti slip prevent puncture safety shoes composite toe
Item No:	TM116
Upper and Sole:	Upper: Embossed split cow leather Sole: PU/ PU dual density
Toe:	1. Composite toe cap to be impact resistant 200 Joules. To protect your feet toe without hazard. 2. non is also provided.
Midsole :	1. Non-metallic anti-penetration insoles to be puncture resistant 1100 Newton. To protect your feet without puncture by nail or sharp objects 2. non is also provided
Collar:	High density fabric
Tongue:	High density fabric
Lining:	Soft air sandwich mesh fabric for comfort fit
Sockliner:	Removable moulded EVA comfort insole with arch support for long-lasting underfoot protection, support, and comfort.
Construction:	Injection moulded
Height:	Mid cut
Size:	37-46
Standard:	CE EN ISO 20345:2011 S1-P SRC or others.
Guarantee:	6 months (The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper).
Package:	1 pairs per color inner box packing, 10 pairs in a carton.
Carton Size	59 x 44 x 33 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

## Product Pictures



200 JOULE  
TOECAP



SLIP-  
RESISTANT



SHOCK  
ABSORPTION



ANTI-STATIC



PETROL AND  
CHEMICAL  
RESISTANT



ANTI-NAIL  
MIDSOLE



OIL  
RESISTANT





## Company Information

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for [PPE \(Personal Protective Equipment\)](#), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

**EU TYPE EXAMINATION CERTIFICATE**

intertek



Issued to: **HEILONGJIANG SAFER CO., LTD.**  
 180000 HAILUO PLAZA, NO.205 (SHANGHAI ROAD), HAILUO, CHINA

Issue Date: 15 September 2020  
 Expiry Date: 15 September 2025

Certificate No.: **1113 00041111** (Extension to Certificate 10790317003)

Product Reference(s): **HT109 (P.6, 10A)**  
**HT102 (P.6, 10B)**

Product	Material	Model
Foot Protective	Composite	HT109
Hand Protective	Composite	HT102
Head Protective	Composite	HT109
Body Protective	Composite	HT109
Traffic Safety Products	Composite	HT109

Technical description: **Composite**

Material: **Composite**

Color: **Black**

Weight: **1.5kg**

Size: **25x25x25cm**

Temperature: **20-30°C**

Humidity: **45-85%**

Light: **1000lx**

Sound: **100dB**

Vibration: **10m/s²**

Impact: **10J**

Corrosion: **30 days**

Wear: **1000 cycles**

Scratch: **1000 cycles**

UV: **1000 hours**

Flame: **1000 cycles**

Static: **1000 cycles**

Dynamic: **1000 cycles**

Shock: **1000 cycles**

Drop: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

Expansion: **1000 cycles**

Flexion: **1000 cycles**

Twisting: **1000 cycles**

Bending: **1000 cycles**

Stretching: **1000 cycles**

Compression: **1000 cycles**

# [ PRODUCTION PROCESS ]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

