Product Description

Product Name:	Fast lace lock composite toe prevent puncture lightweight waterproof safety shoes work
Item No:	TM130
Upper and Sole:	TTE + mesh fabric upper; EVA + rubber sole, (Cushioned EVA midsole for added comfort and shock absorption.)
Toe:	1. Fiberglass toe cap to be impact resistant. To protect your feet toe without hazard.
	2. non is also provided.
Midsole :	1. Non-metallic anti-penetration insoles to be puncture resistant. To protect your feet without puncture by nail or sharp objects.
	2. non is also provided
Collar:	Fly knitted fabric
Tongue:	Fly knitted fabric & TTE
Lining:	Sandwich and waterproof socks inside
Shoe pads:	Removable HI-POLY insole offers superior underfoot support and cushioned comfort.
Construction:	Injection moulded
Height:	Low cut
Size:	37-47
Standard:	CE EN ISO 20345:2011 S3 SRC or others.
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Function:	Heat resistant the degree of 300, 100% waterproof, oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, metal free, shock absorption.
Package:	1 pair per color box, 10 pairs per carton. Carton size: 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures













Company Information

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for **PPE** (**Personal Protective Equipment**), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.



[PRODUCTION PROCESS]



Finished Goods

Packing

Inspection

SAFETY SHOES TEST



Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



ESD Anti-Static Test



