

## DESCRIPTION

## TIGER MASTER

1. The Tiger master safety shoes is an updated style that providing improved fit and comfortability. This no lace safety shoe also features superior work protection, a slip-resistant PU outsole for excellent stability.
2. Mesh and moisture-wicking textile linings for a drier, more breathable foot environment.
3. Removable metatomeal HI-POLY footbed provides long-lasting underfoot support and comfort.
4. Steel toe cap for safety shoes to be impact resistant 200 joules. To protect your feet toe without hazard.
5. Steel mid-sole insert the safety shoes to be puncture resistant 1100 newtons. To protect your feet without puncture by nail or sharp objects.
6. Made by cow genuine leather upper, Comfortable, highly flexible, anti dust and wind.
7. Injection moulded construction, Stable quality, fast speed, environmental protection.
8. Safety Shoes Catagory:  
OB: Non-Safety, SB: With Steel Toe Only, SBP: With Steel Toe and Steel mid-sole  
S1: SB+Anti-static, S1P: S1+Steel Plate, S2: S1+Water Proof, S3: S1P+Water Proof
9. Tiger master safety shoes are used for workers to prevent the hurt from jobs. Your safety is always our concern!

## PRODUCT PICTURES

## TIGER MASTER



200 JOULE  
TOECAP



SLIP-  
RESISTANT



SHOCK  
ABSORPTION



ANTI-STATIC



PETROL AND  
CHEMICAL  
RESISTANT



ANTI-NAIL  
MIDSOLE



OIL  
RESISTANT

**TIGER MASTER®**





# 01

Steel Toe

## Anti-Shock Steel toe cap

Steel toe cap design giving protection from dangerous falling objects

### European Standard Steel Toe Cap

- ① Steel toe shoes with CE EN ISO 20345:2011 standard
- ② Impact resistance of 200J
- ③ Widened Steel Toe
- ④ Pressure resistance > 15KN



# 02

Puncture Proof

## Puncture Proof Midsole

Steel mid-sole puncture proof 1100 newtons,  
To protect your feet without puncture by nail or  
sharp objects.

**Steel Mid-sole**





# 03

Anti-Slip

## PU Out Sole

Slip-resistant PU outsole meets CE EN ISO 20345:2011  
Non-Slip Testing Standards.

**Provides stronger wear-resisting,  
a slip-resistant PU outsole for excellent stability.**



**PACKING**

**TIGER MASTER**

1 pair per color box, 10 pairs per carton. Carton size: 59 x 44 x 33 cm. G.W./ N.W.: 14 kgs/ 12 kgs

# PACKING



## COMPANY INFORMATION

## TIGER MASTER


Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for **PPE (Personal protective equipment)**, especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.





# TIGER MASTER OFFICE SHOW





# TIGER MASTER SAMPLE ROOM





# SAFETY SHOES TEST



**Toe cap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$  N**



**Bondness Test  
 $\geq 4.0$  N/mm**



**Flex Tester  $\geq 36,000$  T**

# **TIGER MASTER®**

## **Canton Fair**



**TIGER MASTER®**  
Safety Shoes | Rain Boots





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muffs/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)