

Product Description

Product Name:	Brown leather anti slip steel toe puncutre proof suede leather lining safety shoes
Item No:	TM2004
Upper and Sole:	Upper: Corrected split cow leather Sole: PU/PU dual density sole
Toe:	1. Steel toe cap to be impact resistant 200 Joules. 2. non-steel toe is also provided.
Midsole :	1. Steel plate to be puncture resistant 1100 Newton. 2. non- steel plate is also provided
Collar:	Suede leather & high density oxford fabric
Tongue:	High density oxford fabric
Lining:	Suede leather lining
Sockliner:	Anti static Moulded EVA coated with air mesh fabric or others as your requirements (Greatly reduce your feet pain & fatigue from daily work)
Construction:	PU injection
Height:	Middle Cut
Size:	38-47
Standard:	CE EN ISO 20345:2011 S3 SRC
Guarantee:	6 months
Package:	Color inner box packing, 10 pairs in a carton.
Carton Size	59x44x33cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

Product Pictures



Suede Leather Lining





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY