Product Description

sharp objects 2. non is also provided Collar: High density oxford fabric Tongue: High density oxford fabric & suede leather Lining: Breathable soft air mesh fabric lining for a comfortable fit Sockliner: Removable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfortable fit Mid cut Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. Guarantee: The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container						
Upper and Sole: Upper: Genuine cow suede leather Sole: PU/ PU dual density Toe: 1. Steel toe cap to be impact resistant 200 Joules. To protect your feet toe without hazard. 2. non is also provided. 1. Steel mid plate to be puncture resistant 1100 Newton. To protect your feet without puncture by nail sharp objects 2. non is also provided Collar: High density oxford fabric Tongue: High density oxford fabric & suede leather Lining: Breathable soft air mesh fabric lining for a comfortable fit Sockliner: Removable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfortation: PU injection Height: Mid cut Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. 6 months Guarantee: The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Product Name:	Tiger master brand steel toe mid plate sport style safety footwear				
Sole: PU/ PU dual density Toe: 1. Steel toe cap to be impact resistant 200 Joules. To protect your feet toe without hazard. 2. non is also provided. Midsole: 1. Steel mid plate to be puncture resistant 1100 Newton. To protect your feet without puncture by nail sharp objects 2. non is also provided Collar: High density oxford fabric Tongue: High density oxford fabric & suede leather Lining: Breathable soft air mesh fabric lining for a comfortable fit Sockliner: Removable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfortarction: PU injection Height: Mid cut Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Item No:	TM209				
2. non is also provided. 1. Steel mid plate to be puncture resistant 1100 Newton. To protect your feet without puncture by nail sharp objects 2. non is also provided Collar: High density oxford fabric Tongue: High density oxford fabric & suede leather Lining: Breathable soft air mesh fabric lining for a comfortable fit Sockliner: Removable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfortable: Mid cut Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. Guarantee: 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Upper and Sole:					
Midsole: 1. Steel mid plate to be puncture resistant 1100 Newton. To protect your feet without puncture by nail sharp objects 2. non is also provided Collar: High density oxford fabric Tongue: High density oxford fabric & suede leather Lining: Breathable soft air mesh fabric lining for a comfortable fit Sockliner: Removable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfortable: Mid cut Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. Guarantee: The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Toe:	1. Steel toe cap to be impact resistant 200 Joules. To protect your feet toe without hazard.				
Sharp objects 2. non is also provided Collar: High density oxford fabric Tongue: High density oxford fabric & suede leather Lining: Breathable soft air mesh fabric lining for a comfortable fit Sockliner: Removable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfortable fit Construction: PU injection Height: Mid cut Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. Guarantee: 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container		2. non is also provided.				
Collar: High density oxford fabric Tongue: High density oxford fabric & suede leather Lining: Breathable soft air mesh fabric lining for a comfortable fit Sockliner: Removable EVA comfort insole with arch support for long-lasting underfoot protection, support and comformation PU injection Height: Mid cut Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. Guarantee: 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Midsole :	1. Steel mid plate to be puncture resistant 1100 Newton. To protect your feet without puncture by nail or sharp objects				
Tongue: High density oxford fabric & suede leather Lining: Breathable soft air mesh fabric lining for a comfortable fit Sockliner: Removable EVA comfort insole with arch support for long-lasting underfoot protection, support and comforts underfoot: PU injection Height: Mid cut Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. Guarantee: 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container		2. non is also provided				
Lining: Breathable soft air mesh fabric lining for a comfortable fit Sockliner: Removable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfortable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfortable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfortable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfortable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfort EVA support in a	Collar:	High density oxford fabric				
Sockliner: Removable EVA comfort insole with arch support for long-lasting underfoot protection, support and comformation PU injection Height: Mid cut Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Tongue:	High density oxford fabric & suede leather				
Construction: PU injection Height: Mid cut Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Lining:	Breathable soft air mesh fabric lining for a comfortable fit				
Height: Mid cut Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. Guarantee: 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Sockliner:	Removable EVA comfort insole with arch support for long-lasting underfoot protection, support and comfort.				
Size: 36-47 Standard: CE EN ISO 20345:2011 SB-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Construction:	PU injection				
Standard: CE EN ISO 20345:2011 SB-P SRC or others. 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Height:	Mid cut				
Guarantee: 6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Size:	36-47				
Guarantee: The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper. Function: Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Standard:	CE EN ISO 20345:2011 SB-P SRC or others.				
Package: 1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm Load quantity of 3200pairs /1x20' container	Guarantee:	The sole is not broken from the middle or pulled off within six month after the goods getting to destination				
Load quantity of 3200pairs /1x20' container	Function:	Oil/ acid/ petrol/ chemical/ slip/ impact/ puncture resistant, shock absorption, anti static available				
	Package:	1 pair per color box, 10 pairs per carton. carton size: 59 X 44 X 33 cm				
Container: 6400pairs /1x40' container	Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container				

Product Pictures

















ANTI-STATIC PETROL AND CHEMICAL RESISTANT



ANTI-NAIL MIDSOLE



OIL RESISTANT





Company Information

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for PPE (Personal protective equipment), especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.







TIGER MASTER OFFICE SHOW





TIGER MASTER SAMPLE ROOM





SAFETY SHOES TEST





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



ESD Anti-Static Test



Tear Strength ≥120N




Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T

Production Process



Canton Fair





SAFETY SHOES



RAIN BOOTS





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER























