

Product Description

| | |
|-----------------------------|--|
| Product Name: | High ankle black leather steel toe prevent puncture safety shoes men |
| Item No: | TM3010 |
| Upper and Sole: | Upper: Embossed split cow leather Sole: PU/ PU dual density |
| Toe: | 1. Steel toe cap to be impact resistant 200 Joules. 2. non-steel toe is also provided. |
| Midsole : | 1. Steel plate to be puncture resistant 1100 Newton. 2. non- steel plate is also provided |
| Collar: | PU artificial leather |
| Tongue: | PU artificial leather |
| Lining: | Air mesh fabric (it will be kept your feet comfortable) |
| Sockliner: | Moulded EVA coated with air mesh fabric or others |
| Construction: | PU injection |
| Certification: | CE |
| Size: | 38-46 |
| Standard: | CE EN ISO 20345:2011 SB-P SRC or others. |
| Guarantee: | 6 months |
| Package: | 1 pair per color inner box packing, 10 pairs per carton. |
| Carton Size | 59 x 44 x 33 cm |
| Load quantity of Container: | 3300pairs /1x20' container 6600pairs /1x40' container |

Product Pictures







SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY