

DESCRIPTION

TIGER MASTER

1. Get the job done right in the tiger master safety shoes. These lace-up safety shoes are moisture-wicking lining to help keep your feet dry and a slip resistant EVA sole for traction and ultimate versatility.
2. Steel toe cap and aramid fiber mid-sole that meets CE standards. To protect your feet toe without hazard. To protect your feet without puncture by nail or sharp objects.
3. Removable metatological HI-POLY footbed provides long-lasting underfoot support and comfort.
4. Slip-resistant light weight soft EVA outsole meets CE EN ISO 20345:2011 Non-Slip Testing Standards.
5. Made by 3D fly knit fabric upper, Comfortable, highly flexible, breathable anti dust and wind.
6. Cemented construction, Stable quality, environmental protection.
7. Safety Shoes Catagory:
OB: Non-Safety, **SB:** With Steel Toe Only, **SBP:** With Steel Toe and Steel mid-sole
S1: SB+Anti-static, **S1P:** S1+Steel Plate, **S2:** S1+Water Proof, **S3:** S1P+Water Proof
8. Tiger master safety shoes are used for workers to prevent the hurt from jobs. Your safety is always our concern!

Item No:	TM3063
Upper and Sole:	Upper: 3D fly knit fabric, Sole: EVA
Toe:	1. Steel toe cap to be impact resistant 200 joules.
	2. non is also provided.
Midsole :	1. Aramid fiber mid-sole to be puncture resistant 1100 newtons.
	2. non is also provided
Collar & Tongue:	Stretch fabric
Lining:	Soft air mesh fabric lining for a comfort fit
Shoe pads:	Removable moulded HI-POLY insole offers superior underfoot support and cushioned comfort
Construction:	Cemented
Height:	High ankle
Size:	36-47
Standard:	CE EN ISO 20345 SB-P SRC or others
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Function:	Slip/ oil/ acid/ petrol/ chemical/ impact/ puncture resistant, shock absorption, anti static. lightweight.
Package:	1 pair per color box, 10 pairs per carton. Carton size: 59 x 44 x 33 cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

PRODUCT PICTURES

TIGER MASTER



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT



CE APPROVED

Breathable Air Hole mesh



Abrasion Resistant
Supported Counterpart

Breathable Stretch Fabric Upper

Wide Fitting
Steel Toe Cap



Anti Static Performance



Superior Comfortable
Memory Foam Insoles

Shock Absorption
Soft EVA Sole



Anti-nail Penetration Midsole







PACKING



COMPANY INFORMATION

TIGER MASTER

Tiger Master is safety shoes and PVC rain boots manufacturer. We have been qualified ISO 9001:2015 quality management system. Also, some of our hot sale models have qualified CE ENISO 20345:2011 and ASTM F2413-18. Meanwhile, we are also a professional brand for **PPE (Personal protective equipment)**, especially in the fields of safety gloves, working garments, helmets, safety vest, ear muff/plug, safety harness, rain coat/suit etc.

Thank you for your interest of Tiger Master, hope you can find the products you want and start our business cooperation. If you need more information, please do not hesitate to contact us, we are always ready here.

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toe cap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

TIGER MASTER®

Canton Fair



TIGER MASTER®
Safety Shoes | Rain Boots



PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muffs/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)