

## Product Description

Product Name:	Low ankle mining work shoes
Item No:	TMC4008
Upper and Sole:	Nubuck leather upper, Natural rubber sole
Toe cap:	Steel toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Steel plate to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Standard:	CE EN ISO 20345 SBP SRC or others
Collar:	High density oxford fabric & mesh fabric
Tongue:	High density oxford fabric
Lining:	Black air mesh fabric
Sockliner:	Moulded EVA coated with mesh fabric or HI-POLY
Construction:	Cemented
Height:	Low ankle
Size:	38-46
Guarantee:	5 months
Function:	Slip/ oil/ impact/ puncture resistant, anti static & water resistant available, shock absorption
Package:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

## Product Pictures





# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**



# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY