

Product Description

Product Name:	Low ankle oil acid resistant anti slip non safety sport type work shoes
Item No:	TMC5008
Upper and Sole:	Genuine cow suede leather upper Natural rubber sole
Toe cap:	Available, steel toe cap to be impact resistant 200 joules, Non is also provided. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard)
Mid sole:	Available, Kevlar mid sole to be puncture resistant 1100 newton. Non is also provided. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard)
Standard:	CE EN ISO 20345 OB SRC or others
Collar:	High density oxford fabric
Tongue:	High density oxford fabric
Lining:	Soft air mesh fabric
Sockliner:	Moulded HI-POLY or PU
Construction:	Cemented
Height:	Low ankle
Size:	37-46
Guarantee:	6 months
Function:	Slip/ oil/ acid resistant, shock absorption, impact & puncture resistant available
Package:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY