

## Product Description

Nome del prodotto:	Scarpe antinfortunistiche per cantiere antiscivolo in acciaio TIGER MASTER
Oggetto numero:	0160L
Tomaia e suola:	Tomaia: pelle nabuk spaccata Suola: suola in PU a doppia densità in PU
Dito del piede:	1. Puntale in acciaio resistente agli urti 200 Joule. 2. è fornito anche un puntale non in acciaio.
Intersuola:	1. Piastra in acciaio resistente alle forature 1100 Newton. 2. viene fornita anche una piastra non in acciaio
Collare:	pelle nabuk crosta
Lingua:	Morbida pelle scamosciata
Fodera:	Tessuto air & dry mesh
sockliner:	EVA modellato rivestito con tessuto a rete d'aria o altri
Costruzione:	Iniezione PU
Altezza:	Caviglia bassa
Taglia:	euro 38-46
Standard:	SB-P SRC o altri
Garanzia:	6 mesi
Pacchetto:	Imballaggio della scatola interna di colore, 10 paia in un cartone.
Dimensioni della scatola	58.5x40x32.5cm
Carica quantità di container:	Contenitore 3200pairs / 1x20 ' Contenitore 6400pairs / 1x40 '

## Product Pictures







# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection



# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY



# 2020 INTERSEC

## SAFETY SHOES & RAIN BOOTS PROFESSIONAL



8-D32