

Product Description

Nome del prodotto:	Stivali antinfortunistici industriali TIGER MASTER in pelle con punta in acciaio
Oggetto numero:	0166
Tomaia e suola:	Tomaia: pelle nabuk spaccata Suola: suola in PU / PU a doppia densità
Dito del piede:	1. Punta in acciaio resistente agli urti 200 Joule. 2. non è anche previsto.
Intersuola:	1. Piatto d'acciaio a essere foratura resistente 1100 newton. 2. Non è anche fornito
Peso:	1,2 kg / pr
Collare:	PU pelle artificiale
Lingua:	PU pelle artificiale
Liner:	Tessuto a rete d'aria (i tuoi piedi rimarranno comodi)
sockliner:	EVA o HI-POLY o PU modellati (riducono notevolmente il dolore e la fatica dal lavoro quotidiano)
Costruzione:	Iniezione PU
Altezza:	Taglio medio
Dimensione:	38-46
Standard:	CE EN ISO 20345 SB-P SRC o altri come vostre esigenze
Garanzia:	6 mesi
Funzione:	Antiscivolo / olio / impatto / antiforatura, antistatico, impermeabile, assorbimento degli urti
Pacchetto:	1 paio per scatola di colore, 10 paia per cartone. Formato della scatola: 59 x 44 x 33 cm
Carica quantità di contenitore:	Contenitore 3200pairs / 1x20 ' Contenitore 6400pairs / 1x40 '

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUDUO
ZOU, JIANGSU PROVINCE, CHINA

Authorised Representative: HANDEHU SHANGHAI ELECTRICITY APPL. CO., LTD.
1201 Village, Xuyuan Town, Jiangsu Economic Zone,
Huangpu County, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Group:
480V1-480V2
480V3-480V4
480V5-480V6
480V7-480V8
480V9-480V10
480V11-480V12

Description:

Construction:	Indoor
Usage:	Over voltage
Material:	Over voltage
Level:	CCC
Area:	CCC (Factory)
Mount:	ACB
Test frequency:	Over-voltage test
Test range:	30-45
Category:	SEP-40A

C.M. 1687-02947

 *P. Li* 1687-02948

Authorized Representative
1201 Village, Xuyuan Town, Jiangsu Economic Zone,
Huangpu County, China

Intertek Testing Services (UK) Limited
11, Woodhouse Road, Lutterworth, Leicestershire, LE17 4BQ, UK



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

SHOES MATERIALS



Genuine Cow Leather




CE Steel Toecap



CE Steel Plate



Composite Toecap



Different Eyelets



Durable Lace



Breathable Lining



Comfortable Insoles



PU or RUBBER or TPU soles

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY