

Product Description

Nome del prodotto:	Scarpe di sicurezza sportiva anti-slipglass anti-slip
Oggetto numero:	TM1020.
Upper e Sole:	TTE + CORDURAPU + TPU Suola,
Dito del piede:	1. Il tappo di punta della fibra di vetro deve essere resistente agli urti. Per proteggere i piedi del piede senza pericolo. 2. Non è inoltre fornito.
Intersuola:	1. Le solette anti-penetrazione non metalliche devono essere resistenti alla puntura. Per proteggere i piedi senza puntura da unghie o oggetti taglienti. 2. Non è inoltre fornito
Collare:	Tessuto in cordura ad alta densità
Lingua:	Tessuto CORDURA ad alta densità e TTE
Liner:	Tessuto a rete ad aria morbida per un comfort in forma
Pastiglie per scarpe:	Soletta rimovibile Hi-Poly offre supporto inferiore sotto i piedi e comfort ammortizzato.
Costruzione:	Stampato ad iniezione
Altezza:	Taglio basso
Misurare:	37-47.
Standard:	CE EN ISO 20345: 2011 SB-P SRC o altri.
Garanzia:	6 mesi La suola non è rotta dal centro o tirato fuori entro sei mesi dalla merce che arriva alla porta di destinazione. Nessuna garanzia per la parte superiore.
Funzione:	Anti slittamento, olio / acido / benzina / chimico / impatto / resistente alla foratura, senza metallo, leggero, assorbimento degli urti.
Pacchetto:	1 paio per scatola di colore, 10 coppie per cartone. Dimensione del cartone: 58.5.X40.X32.5.centimetro
Quantità di carico del contenitore:	3300 paia / 1x20 'contenitore 6600 paia / 1x40 'contenitore

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT









EU TYPE EXAMINATION CERTIFICATE intertek

CE **Approved** **REHOBANG SAFETY, LTD.**
 BUKIT PUKA PLAZA, NO.201 (1ST FLOOR) KUALA LUMPUR, MALAYSIA

Issue Date: 15 September 2020
Expiry Date: 14 September 2021

Product Reference(s): 111100481 (1) (Equivalent to Certificate LECT46312020)
 874376 (40 - 52.5)
 874376 (50 - 52.5)

Material	Type of Material	Requirement
Upper	Thermo	EN 60921
Midsole	Composite Toe-cap	EN 60921
Outsole	EN 60921 and EN 60921/1 (Safety Shoe)	EN 60921
Heel	EN 60921	EN 60921
Toe Cap	EN 60921	EN 60921
Toe Guard	EN 60921	EN 60921
Toe Plug	EN 60921	EN 60921
Lacing	EN 60921	EN 60921

Approved By: [Signature] **Date:** 15/09/2020

Certificate Manager: [Signature] **Date:** 15/09/2020

For and on behalf of ITS Testing Services (UK) Limited

EWC

Certificate of Quality Management System

Certified that HEILONGJIANG SAFER CO., LTD.

Has established a Quality Management System which is in accordance with the Requirements of the Standard as applicable in Clause 4 of GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION
 Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barricade, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 to Nov. 16, 2024
 Issue Date: Nov. 17, 2021

EWC [Signature]

ANAB IAF

For and on behalf of ITS Testing Services (UK) Limited

EU TYPE EXAMINATION CERTIFICATE intertek

CE **Approved** **HEILONGJIANG SAFER PRODUCTS MANUFACTURING CO., LTD.**
 LIAOYUAN VILLAGE, XINBUA TOWN, ACHANG DISTRICT, QIMING, HEILONGJIANG PROVINCE, CHINA

Issue Date: 16 September 2020
Expiry Date: 16 September 2021

Product Reference(s): 111100481 (1)
 874376 (40 - 52.5)
 874376 (50 - 52.5)

Description	Construction	Requirement
Injection	EN 60921	EN 60921
Toe Cap	EN 60921	EN 60921
Toe Guard	EN 60921	EN 60921
Toe Plug	EN 60921	EN 60921
Lacing	EN 60921	EN 60921
Upper	EN 60921	EN 60921
Midsole	EN 60921	EN 60921
Outsole	EN 60921	EN 60921
Heel	EN 60921	EN 60921
Toe Cap	EN 60921	EN 60921
Toe Guard	EN 60921	EN 60921
Toe Plug	EN 60921	EN 60921
Lacing	EN 60921	EN 60921

Approved By: [Signature] **Date:** 16/09/2020

Certificate Manager: [Signature] **Date:** 16/09/2020

For and on behalf of ITS Testing Services (UK) Limited

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY