Product Description

Nome del prodotto:	NeroKPU scarpe di sicurezza con punta acciaio
Oggetto numero:	6355
Tomaia e suola:	Tomaia: tessuto KPU & 3D fly knitted ; Suola: PU doppia densità
Puntale:	1. Puntale in acciaio o puntale in composito per essere resistente agli urti 200 Joule. Per proteggere la punta dei piedi senza rischi.
	2. non è previsto anche.
Intersuola:	1. Solette anti-penetrazione non metalliche resistenti alla perforazione 1100 Newton. Per proteggere i tuoi piedi senza forare chiodi o oggetti appuntiti.
	2. non è previsto anche
Collare:	Tessuto 3D fly knitted
Lingua:	Tessuto ad alta densità
Liner:	Tessuto a rete morbida air per un comfort fit
Sottoscarpe:	Rimovibile metatomico EVA O IPOLIA plantare fornisce di lunga durata sotto i piedi sostegno e comfort.
Costruzione:	Stampato ad iniezione
Altezza:	Taglio basso
Dimensione:	36-47
Standard:	CE EN ISO 20345:2011 S1-P SRC o altri.
Garanzia:	6 mesi La suola non viene spezzata a metà o strappata entro sei mesi dall'arrivo della merce al porto di destinazione. Nessuna garanzia per la tomaia.
Funzione:	Antiscivolo/ olio/ acido/ benzina/ impatto/ perforazione resistente, anti statico, leggero, assorbimento degli urti.
Pacchetto:	1 coppia per colore scatola, 10 coppie per cartone, cartone taglia: 58,5 X 40 X 32,5 CM
Caricare la quantità di container:	3300 paia / 1x20 "contenitore 6600 paia/contenitore 1x40

Product Pictures

TIGER MASTER®

CAMOUFLAGE

EU TYPE
EXAMINATION
CERTIFICATE

intertek

CE

Issued to: HEILONGJIANG SAFER CO., LTD.
[illegible]

Issue Date: 15 September 2009

Expiry Date: 15 September 2011

Certificate No.: [illegible] (Extension to Certificate [illegible])

Product Reference(s): [illegible]

Description:
- Construction : INJECTION
- Toecap : Composite Toecap
- Midsole : Non-metallic anti-penetration insole board
- Last : [illegible]
- Sole : [illegible] PU/PVC
- Mould : [illegible]
- Test Report(s) : [illegible]
- Size Range : [illegible]
- Category : [illegible]

Signed: [illegible] Date: [illegible]

Certification Manager: [illegible] Date: [illegible]

For and on behalf of TÜV Rheinland Testing Services (UK) Limited

EWC

Certificate of Quality Management System

Certificate No.: 105821Q

Certified that

HEILONGJIANG SAFER CO., LTD.

[illegible]

Has established a Quality Management System which is in Accordance with the Requirements of the Standard (Not applicable to Clause 8.3)

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Batons, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 To: Nov. 16, 2024
Issue Date: Nov. 17, 2021

(The effectiveness of this Certificate shall be validated by periodic surveillance audit of EWC for maintenance. Conditions on effectiveness of certificate see http://www.ewgcc.org and official website of Certification and Accreditation Administration of People's Republic of China http://www.cnca.gov.cn)

Expiry of This Certificate is Nov. 2022.
Serial No.: V 5817972

EWC:

ANAB IAF

EU TYPE
EXAMINATION
CERTIFICATE

intertek

CE

Issued to: [illegible]

Issue Date: [illegible]

Expiry Date: [illegible]

Certificate No.: [illegible]

Product Reference(s): [illegible]

Description:
- Construction : INJECTION
- Toecap : [illegible] STEEL TOECAP
- Midsole : [illegible] STEEL PLATE
- Last : [illegible]
- Sole : PVC & NITRILE
- Mould : [illegible]
- Test Report(s) : [illegible]
- Size Range : [illegible]
- Category : [illegible]

Signed: [illegible] Date: [illegible]

Certification Manager: [illegible] Date: [illegible]

For and on behalf of TÜV Rheinland Testing Services (UK) Limited

[PRODUCTION PROCESS]

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY