Product Description

Nome del prodotto:	Punta composito a prova di olio antiscivolo Prevenire le scarpe di sicurezza per puntura per l'elettricista
Oggetto numero:	Eh7201.
Upper e Sole:	Pelle di mucca divisa in rilievo, Suola in doppia densità PU / PU
Puntale:	Toe composita per essere resistenti agli urti 200 joule. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 Standard) Non è anche fornito.
Mid Sole:	Anti-penetrazione non metallica Mid Sole per essere resistente alle punture 1100 Newton. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 Standard) Non è anche fornito.
Peso:	1,2 kg / pr
Stile:	Allacciato
Collare:	PU in pelle artificiale
Lingua:	PU in pelle artificiale
Liner:	Tessuto a maglia d'aria traspirante
Sockliner:	EVA modellato o hi-poly o pu
Costruzione:	Iniezione di PU
Altezza:	Mezzo taglio
Misurare:	EUR 38-46.
Garanzia:	6. mesi
Funzione:	Isolamento 18KV, metallo gratuito, sLip / olio / acido / chimico / a benzina / antipatia / resistente alla puntura, impermeabile, assorbimento degli urti
Pacchetto:	1 paio per scatola di colore, 10 coppie per cartone. Dimensioni del cartone IS.59 x 44 x 33 cm
Quantità di carico del contenitore:	3200 paia / 1x20 'contenitore 6400 paia / 1x40 'contenitore

Product Pictures

Insulation
18KV
TIGER MASTER

OIL RESISTANT

EU TYPE
EXAMINATION
CERTIFICATE

intertek

CE

APPROVED BODY (EN)

Issued to : HEILONGJIANG SAFER CO., LTD.
BAYAO PLAZA, NO.269 DAXINGANLING ROAD, HARBIN, CHINA

Issue Date : 15 September 2020

Expiry Date : 15 September 2021

Certificate No. : 61191080111 (Extension to Certificate LE0740137000)

Product Reference(s) : BT6705 (HB-3047)
BT6707 (HB-3049-1)

Description :
Construction : Injection
Toecap : Composite Toecap
Midsole : Non-metallic anti-penetration insole board
Last : 1196
Sole : 1198 PU/PU
Mould : 1198
Test Report(s) : See report(s)
Size Range : 37-48
Category : S3 SRC

Signed : CBall Date : 15/09/2020

Certification Manager : P Williams Date : 15/09/2020

For and on behalf of ITS Testing Services (UK) Limited

EWC

Certificate of
Quality Management System

Certificate No.: 105821Q

Certified that

HEILONGJIANG SAFER CO., LTD.

Has established a Quality Management System which is in Accordance with the Requirements of the Standard (Not applicable to Clause 8.3)

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 To: Nov. 16, 2024
Issue Date: Nov. 17, 2021

(The effectiveness of this Certificate shall be validated by periodic surveillance audit of EWC for maintenance. Conditions on effectiveness of certificate see http://www.ewcqcc.org and official website of Certification and Accreditation Administration of People's Republic of China http://www.cnca.gov.cn)

Expiry of this Certificate is Nov. 16(2)
Serial No.: V 0019972

EWC: Legacy

ANAB

IAF

EU TYPE
EXAMINATION
CERTIFICATE

intertek

CE

APPROVED BODY (EN)

Issued to : HARBIN XIAO SAFETY PRODUCTS MFG. CO., LTD.
LIWA VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA

Issue Date : 06 September 2019

Expiry Date : 06 September 2024

Certificate No. : LE0740137000

Product Reference(s) : BM (FW01)
SAFETY BOOTS

Description :
Construction : INJECTION
Toecap : ASTM STEEL TOECAP
Midsole : DYNA SMS STEEL PLATE
Last : HA-4009
Sole : PVC & NITRILE
Mould : HA-A
Test Report(s) : G2N7180304TEL, G2N7180306TEM
Size Range : EU38-EU47
Category : S3 SRC

Signed : Date : 06/09/2019

Certification Manager : Date : 06/09/2019

For and on behalf of ITS Testing Services (UK) Limited

Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N



Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY