

Nome del prodotto:	CE SBP scarpe stivali standard di sicurezza
Oggetto numero:	3078
Tomaia e suola:	Vera pelle superiore, suola a doppia densità in PU.
Dito del piede:	1. Puntale in acciaio da resistente agli urti. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 standard, una varietà di adatto scegliere da)
	è prevista anche 2. punta non inossidabile.
Lamiera di acciaio : (Intersuola in acciaio)	1. Piastra in acciaio da puntura resistente. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 standard, una varietà di raccordo tra cui scegliere)
	2. piastra non-acciaio è anche disponibile
Collare:	PU imbottito con spugna pesante.
Lingua:	perfetto in vera pelle morbida
fodera:	tessuto di maglia
soletta:	comodo cuscino
Costruzione:	PU iniezione
Altezza:	Cut Medio
Dimensione:	4-12 (38-46)
Garanzia:	3 mesi, pesanti e solida qualità.
Pacchetto:	Colore imballaggio scatola interna, 10 paia in un cartone
Formato della scatola	56x38x31.5cm (38-40); 58.5x40x32.5cm (41-43); 61x42x35cm (44-46)
quantità di carico di contenitore:	3300pairs / contenitore 1x20 ' 8200pairs / 1x40 'il contenitore del HQ

FAQ:

1.Question: Wcappello è il vostro MOQ?

---- Il nostro MOQ è di 1000 accoppiamenti per stile con il formato misto.

2.Question: Posso chiedere campioni una coppia prima di ordine del posto?

---- Sì, noi possiamo inviare un campione coppia per libero come il vostro controllo di qualità, ma la necessità del cliente pagare il costo del corriere da soli, come DHL, TNT, Fedex, SME ecc

3.Question: Avete certificato CE, abbiamo bisogno di eliminare l'abitudine?

---- Sì, i nostri prodotti possono soddisfare CE standard, e abbiamo rapporti di cooperazione con diversi laboratori internazionali, tra cui Intertek dal Regno Unito, dalla Francia CTC SABS dal Sud Africa, ecc












4.Question: Qual è il tuo pagamento, come possiamo pagare?

---- La nostra azienda può accettare sia T / T, L e il pagamento / C. Se avete altri requisiti di pagamento, si prega di lasciare un messaggio o contattare direttamente il nostro venditore on-line.

5. Domanda: Qual è il tempo di garanzia di qualità?

---- scarpe di sicurezza Questo sytle sono offerti tre mesi garanzia di qualità dopo la spedizione. Se le scarpe sono rotti entro 3 mesi, non esitate a contattarci, lo compenseremo scarpe nuove senza alcun pagamento.

la storia di esportazione di calzature di sicurezza:

<p>UAE Style: HS8088/ HS8089 Destination port: Jebel Ali Quantity: 9000 Pairs</p> <p>On December 2015 Dubai customer ordered one 40' HQ container safety shoes, they are one of our biggest customer and place one 40'HQ order every month.</p>	 	<p>SAUDI ARABIA Style: SF131B Destination port: Dammam Quantity: 8500 Pairs</p> <p>On November 2015 Saudi Arabia Customer ordered 8500 Pairs Safety Shoes with style SF131B. They are satisfied with our quality.</p>	  
<p>MEXICO Style: 8070 Destination port: Long Beach Quantity: 3300 Pairs</p> <p>On January and Sep. 2015 Mexico customer ordered two 20'FT container safety shoes with style 8070 safety shoes. They felt very satisfied.</p>	 	<p>KENYA Style: HS8088 Destination port: Mombasa Quantity: 8100 Pairs</p> <p>On Aug. 2015 Kenya customer ordered one 40' HQ safety shoes with style HS8088. They felt very satisfied with our quality delivery.</p>	 
<p>IRAQ Quantity: 7400 Pairs Destination port: Basra</p> <p>On May and Dec. 2015 Iraq customer ordered total three 40' HQ container miller steel and vaultex brand safety shoes. They felt very satisfied.</p>	 	<p>NIGERIA Style: HA2003T Destination port: Apapa Quantity: 1000 Pairs</p> <p>On Jan. 2015 Nigeria customer ordered 1000 pairs safety boots with style HA2003T.</p>	 

Scarpe di sicurezza unico modello di spettacolo:



Certificato di sicurezza per le scarpe del CE:



EC Type Examination Certificate



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311



www.intertek.com

Issued to	: RUIAN HONGSUN SHOES CO., LTD. QIANBU INDUSTRIAL ZONE, XINCHENG TOWN, RUIAN CITY, ZHEJIANG PROVINCE, CHINA
Authorised Representative	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. Lixin Village, Xinhua Town, Acheng District, Harbin, Heilongjiang Province, China
Date of Issue	: 13 January 2016
Expiry Date	: 11 February 2020
Certificate No.	: LEC FI00362467 (Extension of certificate LEC FI00347154)
Product Reference(s)	: Safety Shoes H8K01, H8K02 H8K03, H8K04 H8K05, H8K06 H8K07, H8K08 H8K09, H8K10
Description	: Construction : Injection Toecap : Steel toecap Midsole : Steel plate Last : 8000 Sole : 8000 PU/PU Mould : 8000 Test Report(s) : See technical file Size Range : 38-46 Category : SBP SRA



Assessor

13/01/2016

Date



Certification Manager

13/01/2016

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.