

Product Description

Nome del prodotto:	Scarpe antinfortunistiche in pelle antiscivolo con punta in acciaio senza lacci
Oggetto numero:	HA5020
Tomaia e suola:	Tomaia: pelle di mucca crosta corretta Suola: PU / PU doppia densità
Dito del piede:	1. Punta in acciaio resistente agli urti 200 Joule. 2. non è anche previsto.
Intersuola:	1. Piatto d'acciaio a essere foratura resistente 1100 newton. 2. Non è anche fornito
Peso:	1,1 kg / pr
Stile:	Nessun pizzo, con gore elastico su due lati
Liner:	Tessuto air mesh, manterrà i tuoi piedi comodi
solette:	EVA + mesh modellato o altri
Costruzione:	Iniezione PU
Altezza:	Taglio medio
Dimensione:	euro 38-46
Standard:	CE EN ISO 20345 SB-P SRC o altri come vostre esigenze
Garanzia:	6 mesi
Funzione:	Antiscivolo / olio / impatto / antiforatura, antistatico, impermeabile, assorbimento degli urti
Pacchetto:	1 paio per scatola di colore, 10 paia per cartone. Formato della scatola: 59 x 44 x 33 cm
Carica quantità di contenitore:	Contenitore 3300pairs / 1x20 ' Contenitore 6600pairs / 1x40 '

Product Pictures







Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDEHU SHANGHAI ELECTRICITY APPL. CO., LTD.
1201 Village, Xujiao Town, Jiangsu Economic Zone,
Huzhou City, Zhejiang Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Group:
480V-1000V
480V-1000V
480V-1000V
480V-1000V
480V-1000V
480V-1000V

Description:

Construction:	Insulation
Terminal:	Open ended
Material:	Open ended
Core:	0.50
Wire:	0.50 (PVC)
Mark:	AC0
Test frequency:	See technical file
Test range:	0.5A
Category:	0.5A-10A

Authorised Representative: HANDEHU SHANGHAI ELECTRICITY APPL. CO., LTD.
1201 Village, Xujiao Town, Jiangsu Economic Zone,
Huzhou City, Zhejiang Province, China

Intertek Representative: Intertek (UK) Limited
3901 Station Road, Eastleigh, Hampshire, SO50 9HQ, UK

Signature: *C.M.* 16/1/2018

Signature: *[Signature]* 16/1/2018

Product Reference: L20170002947 (extension of certificate L20170294719)

Product Reference: L20170002947 (extension of certificate L20170294719)



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

SHOES MATERIALS



Genuine Cow Leather




CE Steel Toecap



CE Steel Plate



Composite Toecap



Different Eyelets



Durable Lace



Breathable Lining



Comfortable Insoles



PU or RUBBER or TPU soles

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY