

Product Description

Nome del prodotto:	black leather safety shoes
Oggetto numero:	TM028
Upper and Sole:	Upper: Corrected split cow leather Sole: PU/ PU dual density sole
Dito del piede:	1. Composite toe cap or steel toe cap to be impact resistant. To protect your feet toe without hazard. 2. non is also provided.
Midsole :	1. Non-metallic anti-penetration insoles or steel plate to be puncture resistant.To protect your feet without puncture by nail or sharp objects. 2. non is also provided
Collare:	PU artificial leather with sponge
Lingua:	PU artificial leather
Liner:	Soft air mesh fabric for a comfort fit
Shoe pads:	Removable metatomical dual-density EVA footbedfor niscedi lunga durata underfootsostegnoecomfort.
Costruzione:	Injection moulded
Altezza:	Mid cut
Misurare:	37-47
Standard:	CE EN ISO 20345:2011 SB-P SRC or others.
Garanzia:	6 mesi The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Funzione:	Slip/ oil/ acid/ petrol/ chemical/ impact/ puncture resistant, shock absorption, metal free, anti static and waterproof available.
Pacchetto:	1 pair per color box, 10 pairs per carton. carton size: 59 x 44 x 33 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures



[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY