

Product Description

Nome del prodotto:	Scarpe da lavoro antiforatura con punta in acciaio suola in cuoio nero CE en345
Oggetto numero:	TM5005
Tomaia e suola:	Tomaia: pelle bovina crosta gofrata Suola: PU / PU a doppia densità
Dito del piede:	1. Puntale in acciaio per essere resistente agli urti 200 Joule. 2. È prevista anche la punta non in acciaio.
Intersuola:	1. Piastra in acciaio resistente alla perforazione 1100 Newton. 2. Viene fornita anche una piastra non in acciaio
Collare:	Pelle artificiale PU
Lingua:	Pelle artificiale PU
Liner:	Tessuto a rete Air sandwich (manterrà i tuoi piedi comodi)
Soletta:	EVA modellata rivestita con tessuto air mesh o altro
Costruzione:	Iniezione di PU
Certificazione:	CE
Taglia:	38-46
Standard:	CE EN ISO 20345: 2011 SB-P SRC o altri.
Garanzia:	6 mesi
Pacchetto:	1 paio per confezione interna color, 10 paia per cartone.
Dimensioni cartone	58,5 x 40 x 32,5 cm
Quantità di carico del contenitore:	Contenitore da 3300 paia / 1x20 ' Contenitore 6600 paia / 1x40 "

Product Pictures





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY