

□□□:	□□□□ pvc □□□□□□□□
□□ No:	106
□□□□□	□□□□□□□□□□□□□□
□□□:	37-47 (3-13)
□□:	38 cm (□□)
□□□□	2.0kgsV(□□□□□□□□□□) pr
□□□□□□	100% □□□□□□□□□□□□ + □□□ (□□□□□) □□□□
□□□□□□□□□	(□□□□□□□□□□□) □□□□□□
□□	□□□□□□□□□□
□□	CE □□□□□□□□□□
□□	<ol style="list-style-type: none"> 1. □V□V□□□□V□□□V□□□□□□□□□□□□□□□□□□□□□□□□ pvc □□□□ 2. □□□□□□□□□□□□□□□□□□ 3. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 4. □□□□□□ 5. □□□□□□ (200) □□□□□□□□□□□□□□ (1100 N)□
□□:	5 □□□□□□□□□□□□□□
□□□□□:	□□□□1 □□□□ 10 □□□□ 1 □
□□□□ □□□	50x30x48cm
G.W.VN.W□□	21KGSV20KGS
□□□□□□:	3800 □□V1 x 20\ □□□□□□ 7600 □□V1 x 40\ □□□□□□ 9000 □□V1 x 40\ HQ □□□□□□

□□□□□□□ □ □□□:

□□□	□□ (cm)	□ (mm) □□□	□□ (kg)	□□□□□ length(cm)
37V3	36	1.8 2.5	1.8	23.0
38V4	37	1.8 2.5	1.85	24.6
39V5	37.8	1.8 2.5	1.9	25.2
40V6	38.0	1.8 2.5	1.95	25.8
41V7	38.2	1.8 2.5	2.00	26.4
42V8	38.5	1.8 2.5	2.075	27.0
43V9	38.8	1.8 2.5	2.15	27.6
44V10	39	1.8 2.5	2.20	28.2
45V11	39.2	1.8 2.5	2.26	28.8
46V12	39.5	1.8 2.5	2.30	29.4
47V13	39.7	1.8 2.5	2.35	30.0

□□□ pvc □□□□□□



