

Product Description

Material	High quality PVC
Size	110
Weight	0.2-2.1kgs
Price	EUR 38-47
Length	32cm
Weight	0.2-2.1kgs
Material	100% PVC
Material	PVC
Material	CE
Material	<ol style="list-style-type: none"> 1. High quality PVC 2. High quality PVC 3. High quality PVC 4. High quality PVC 200 5. High quality PVC 1100
Material	5
Material	1-10
G.W./N.W.:	23 kgs / 21 kgs
Material	40

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





Company Information

Our shoes are made from PVC and are certified to ISO9001:2015 standards. They also meet CE ENISO 20345:2011 and ASTM F2413-18 safety standards. The shoes are made from PPE (Personal Protective Equipment) materials and are suitable for use in industrial environments. For more information, please contact us at info@company.com or visit our website at www.company.com.

Our shoes are made from PVC and are certified to ISO9001:2015 standards. They also meet CE ENISO 20345:2011 and ASTM F2413-18 safety standards. The shoes are made from PPE (Personal Protective Equipment) materials and are suitable for use in industrial environments. For more information, please contact us at info@company.com or visit our website at www.company.com.

Deburring



Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



[View More](#)



Traffic Cone

[View More](#)



Warning Tape

[View Details](#)