

## Product Description

Material	KPU
Model	6355
Construction	KPU 3D; PU
Weight	1. 200g 2.
Length	1. 1100mm 2.
Width	3D
Color	
Material	EVA HIPOLY
Material	
Material	
Material	36-47
Material	CE EN ISO 20345 2011 S1-PSRC
Material	6
Material	
Material	1 10 58.5 X 40 X 32.5 CM
Material	3300/1x20" 6600/1x40"

## Product Pictures



200 JOULE  
TOE CAP



SLIP-  
RESISTANT



SHOCK  
ABSORPTION



ANTI-STATIC



PETROL AND  
CHEMICAL  
RESISTANT



ANTI-NAIL  
MIDSOLE



OIL  
RESISTANT









# [ PRODUCTION PROCESS ]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY