

# Product Description

Model	701
Material	3D EVA
Thickness	200
Material	ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material	1100
Material	ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Weight	0.70 kgs / pr
Material	
Material	3D
Material	3D
Material	
Material	EVA HI-POLY PU
Material	
Material	
Material	EUR 36-48
Material	3
Material	S
Material	10 x 58.5 x 40 x 32.5 cm
Material	3300 / 1x20 6600 / 1x40

# Product Pictures







Huade®

重量

0.0345

克

去皮 单位 去皮

去皮

去皮

上海华德衡器有限公司







# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**



# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY