

## Product Description

|          |   |
|----------|---|
| Material | High-density polyethylene                     |
| Model    | 706.  |
| Material | 3D printed                                    |
| Material | 200 mesh                                      |
| Material | ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 |
| Material | 1100 mesh                                     |
| Material | ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 |
| Material | EN ISO 20345 S1P SRC                          |
| Material |   |
| Material | 3D printed                                    |
| Material | 906g  |
| Material |   |
| Material | EVA HI-Poly PU                                |
| Material |   |
| Material |   |
| Material | 38-46   |
| Material | 6   |
| Material | s   |
| Material | 10 58.5 x 40 x 32.5 cm                        |
| Material | 3300 / 1x20 ' 6600 / 1x40 ' 10000             |

## Product Pictures



**Soft & Comfortable**





**Anti slip**



Light Weight



# Breathable



# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY