

## Product Description

Material	High-density polyethylene
Weight	708
Material type	High-density polyethylene 3D printed
Material grade	200g ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material grade	1100g ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Weight	0.80 kgs / pr
Material	High-density polyethylene
Material	3D printed
Material	3D printed
Material	High-density polyethylene
Material	EVA HI-POLY PU
Material	High-density polyethylene
Material	High-density polyethylene
Material	EUR 36-48
Material	6
Material	5mm/10mm/15mm/20mm/25mm/30mm/35mm/40mm/45mm/50mm/55mm/60mm/65mm/70mm/75mm/80mm/85mm/90mm/95mm/100mm
Material	10mm/15mm/20mm/25mm/30mm/35mm/40mm/45mm/50mm/55mm/60mm/65mm/70mm/75mm/80mm/85mm/90mm/95mm/100mm 58.5 x 40 x 32.5 cm
Material	3300mm/ 1x20 'High-density polyethylene' 6600mm/ 1x40 'High-density polyethylene'

## Product Pictures













# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection



# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**



# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY