

Product Description

CE	CE
Model	BTA040L
Material	PU / PU
Weight	200g ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Thickness	1100 ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Color	CE
Size	
Material	
Material	
Material	
Material	EVA HI-POLY PU
Material	PU
Material	
Weight	37/47
Weight	6
Material	
Weight	1/10 58.5 x 40 x 32.5 cm
Weight	3300 / 1x20 ' / 6600 / 1x40

Product Pictures





TIGER MASTER[®] Professional SAFETY SHOES



YOUR SAFETY IS OUR CONCERN!

<https://safetyshoesfactory.com>



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY