Product Description

□□□□	CE□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□	BTA042
□□□□□□□□□□	□□□□□□□□□□□□□PU / PU□□□□□□□
□□□□□□□□□□	□□□□ □□□□200□□□□□□□□□□□□□□□□□ □ASTM F2413-18 M I / 75 C / 75□CE EN ISO 20345□□□
□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□1100□□□□□□□□□ □ASTM F2413-18 M I / 75 C / 75□CE EN ISO 20345□□□ □□□□□□□□□□□
□□□	CE
□□□□	□□□□□□□□
□□	□□□□□□□□□□□□□□□
□□	□□□□□□□□□□□□□□□□□□□□□□□□□
□□□	□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□	□□□□□□□EVA□□□HI-POLY□□□PU
□□□	PU□□□
□□□	□□□□□
□□□□	37□47□□□
□□□	6 □□
□□□	□□□/□/□□□□/ □□□□/□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□	□□□□□□□□□□□1□□□□□□□□□□□10□□□□□□□□□□□□ 58.5 x 40 x 32.5 cm
□□□□□□□□□□	3300□□/ 1x20 '□□□□ 6600□□/ 1x40□□□□

Product Pictures

TIGER MASTER®

Professional SAFETY SHOES

YOUR SAFETY IS OUR CONCERN!

https://safetyshoesfactory.com

Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY