

## Product Description

CE	CE
BTA042	BTA042
PU / PU	PU / PU
200	200 ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
1100	1100 ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
CE	CE
	EVA HI-POLY PU
PU	PU
37	37 47
6	6
58.5 x 40 x 32.5 cm	58.5 x 40 x 32.5 cm
3300 / 1x20 ' / 6600 / 1x40	3300 / 1x20 ' / 6600 / 1x40

## Product Pictures





# **TIGER MASTER<sup>®</sup>** Professional SAFETY SHOES



**YOUR SAFETY IS OUR CONCERN!**

<https://safetyshoesfactory.com>



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY