

Product Description

Material	PU / PU
Material Code	BTA046
Material Description	200
Material Specification	ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material Specification	1100
Material Specification	ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material Specification	
Material Specification	
Material Specification	
Material Specification	
Material Specification	EVA HI-POLY PU
Material Specification	PU
Material Specification	
Material Specification	37 47
Material Specification	6
Material Specification	s / / /
Material Specification	1 10 58.5 x 40 x 32.5 cm
Material Specification	3300 / 1x20 ' 6600 / 1x40

Product Pictures







TIGER MASTER[®] SAFETY SHOES

<https://safetyshoesfactory.com>



COMPOSITE
TOE CAP



NON-METALLIC ANTI
PENETRATION MID SOLE



ANTI-STATIC
SHOE



METAL
FREE



SLIP RESISTANT
SOLE



HEEL ENERGY
ABSORPTION

CE



YOUR SAFETY IS OUR CONCERN!

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY