

□□□□	□□□□□□□□□□
□□□□□	HS2001
□□□□□□□□□	□□□□□□□□□□□□PU□□□□□□□□□□
□□□□	1.□□□□□□□□□□□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345 STANDARD□□□□□□ □□□□□□□ □□□□□□□□
	2.□□□□□□□□□□□□□□
□□ □ □□□□□□□□□□	1.□□□□□□□□□□□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345 STANDARD□□□□□□□□□□□□□□□□□□□□□□□□
	2.□□□□□□□□□□
□□□□	PU□□□□□□□□□□□□□□□□□□□□
□□	□□□□□□□PU
□□□	□□□□□□□
□□□□	□□□□□□□□
□□□	PU □□
□□□	□□□□□□□
□□□□	4□12□□38-46□
□□□	3□□□□□□□□□□□□□□□□□□
□□□□□□	□□□□□□□□□□□□□□□□□□□□10□
□□□□□□□□	56x38x31.5cm □38-40□; 58.5x40x32.5cm□41-43□; 61x42x35cm□44-46□
□□□□□□□□□	3300-3500pairs / 1x20 '□□□□□ 8200-9000pairs / 1x40 'HQ□□□□□

□□□□□□□□□







Production Process



Raw Materials



Punching



Cutting



Sewing



Eyeleting



Riveting



Heat-setting



Molding



Making Up



Inspection



Packing



Finish Products

□□□□□□□□□□□□

