

Product Description

| | |
|-------------|-------------------------------|
| Modelo | DTA017 |
| Descripción | 3D PU / PU |
| Material | 1. 200 PU |
| Color | 1. 1100 |
| Material | 3D PU |
| Material | PU |
| Material | EVA |
| Material | PU |
| Material | PU |
| Material | 38-47 |
| Material | CE en ISO 20345:2011 S1-P SRC |
| Material | 6 |
| Material | 1 C 10 Olor Inner Box Packing |
| Material | 58.5 x 40 x 32.5 cm |
| Material | 3300 / 1x20 ' / 6600 / 1x40 ' |

Product Pictures



[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY