

Product Description

Model	DTA032
Material	100% PU
Weight	1.2 kg / pr
Dimensions	58.5 x 40 x 32.5 cm
Color	Black
Usage	For use in...
Compliance	CE EN ISO 20345 S1P SRC
Warranty	2 years
Manufacturer	...
Country of Origin	...
Material Composition	EVA, HI-POLY, PU
Weight per Unit	1.2 kg
Dimensions (L x W x H)	37-47 x 3-13 cm
Compliance Standard	CE EN ISO 20345 S1P SRC
Weight per Unit	6 kg
Color	Color
Dimensions (L x W x H)	58.5 x 40 x 32.5 cm
Weight per Unit	3300 g / 1x20 '... 6600 g / 1x40 '...

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDEHU NEW SAFETY PRODUCTS APLC (S) LTD.
1201 Village, North Zone, Jiangyin District, Suzhou,
Henan Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Valve
48201-08010
48200-08024
48201-08018
48201-08019
800 200 300 400

Description:

Construction:	Iron/Steel
Trim:	Steel valve
Material:	Steel valve
Port:	DN15
Size:	800 (Supply)
Mount:	ACG
Test Standard:	EN 12286-2 Part 2
Test Range:	0.6-1.6
Category:	001 A14

Authorised Representative: *C.M.* 1687-0218

Product Reference: *C.M.* 1687-0218

Intertek Reference: *C.M.* 1687-0218

Intertek is a member of the Intertek Group of companies, which are all subject to the same standards and procedures as set out in this certificate. Intertek is a member of the Intertek Group of companies, which are all subject to the same standards and procedures as set out in this certificate.



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength $\geq 120N$



**Bondness Test
 $\geq 4.0N/mm$**



Flex Tester $\geq 36,000T$

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY