

## Product Description

Material	PU
Model	DTA035
Material description	PU deltaplus
Weight	1. 200 2. non
Dimensions	1 110 2
Weight per unit	1.1 kg / pr
Material	E
Material	
Material	&
Material	EVA HI-POLY PU
Material	PU
Material	
Material	37-47 3-13
Material	CE EN ISO 20345 S1P SRC
Material	6
Material	c 1 olor 10
Material	58.5 x 40 x 32.5 cm
Material	3300 / 1x20 6600 / 1x40

## Product Pictures





## ***Company Information***



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISECO LTD.  
SHANGHAI INDUSTRIAL ZONE, JINCHANG TOWN, NINGBO  
321117, ZHEJIANG PROVINCE, CHINA

**Authorised Representative:** HANDEHU SHANGHAI PRODUCTIVE APPLI. CO., LTD.  
1301 Village, Xujiao Town, Jiangyin District, Suzhou,  
Henanjiang Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L26170002947 (extension of certificate L26170004196)

**Product Reference(s):** Safety Valve  
48501-10002  
48502-10004  
48503-10006  
48504-10008  
48505-10010  
800 200 300 400

**Description:**

Construction:	Horizontal
Working Pressure:	20bar water
Material:	Steel plate
End:	ISO
Size:	800 (Flange)
Mount:	AC3
Test Standard:	EN 10588 Part 1
Test Range:	20-40
Category:	800 400

**Authorized Representative:** *C.M.* 1667-02018

**Product Reference:** 1667-02018

**Issued by:** Intertek (UK) Ltd. 3630 Springborough Drive, Broomfield, Essex, SS16 5BQ, UK



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection



# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY