

Product Description

Material	ETPU45
Material Composition	PU / PU&ETPU
Material Thickness	200µm ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material Weight	1100g ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material Color	
Material Type	
Material Grade	
Material Brand	
Material Features	
Material Composition	EVA HI-POLY PU
Material Type	PU
Material Color	
Material Thickness	38x46mm
Material Weight	6g
Material Dimensions	s/mm/mm/mm
Material Dimensions	10mmmmmmmm 10mmmmmmmm 58.5 x 40 x 32.5 cm
Material Dimensions	3200mm/ 1x20 'mmmm 6400mm/ 1x40mmmm

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY