


□□□□	□□□□□□□□□□
□□□□□	3030
□□□□□□□□	□□□□□□□□PU□□□□
□□□□	1.□□□□□□□□□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345 STANDARD□□□□□□ □□□□□□ □□□□□□
	2.□□□□□□□□□□□□
□□ □ □□□□□□□□□□	1.□□□□□□□□□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345 STANDARD□□□□□□□□□□□□□□□□□□□□□□
	2.□□□□□□□□□□
□□□□	□□□
□□	□□□
□□□	□□□
□□□□	□□□□□□□□
□□□	PU □□
□□□	□□ □□□
□□□□	4□12□□38-46□
□□□	3□□□□□□□□□□□□□□□□
□□□□□□	□□□□□□□□□□□□□□□□□□□□10□
□□□□□□□□	□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□	2000□□/ 1x20 '□□□□ 5000□□/ 1x40 'HQ□□□□

CE□□□□□

□□PU□□□□□□□□□□EN ISO 20345□2011					
□□□□□□□□	□□□□□□□□200J□	□□□□□□□□	□□□□ □100KΩ-1000MΩ□	□□□□1100N□	□□□
SB	✓	✓			
SBP	✓	✓		✓	
S1	✓	✓	✓		
S1P	✓	✓	✓	✓	
S2	✓	✓	✓		✓
S3	✓	✓	✓	✓	✓

□□□□□□□□□□□□



□□□□□

Our Factory

