

□□□□	□□□□□□□□□□□□□□
□□□□□	HS1008
□□□□□□□□	□□□□ □□□□□□□□PVC□□□□□□□□□□
□□□□	1.□□□□□□□□□□□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345 STANDARD□□□□□□ □□□□□□ □□□□□□
	2.□□□□□□□□□□□□□□
□□ □ □□□□□□□□□□	1.□□□□□□□□□□□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345 STANDARD□□□□□□□□□□□□□□□□□□□□□□□□
	2.□□□□□□□□□□
□□□□	PU□□□□□□□□□□□□□□□□□□
□□	□□□□□□□PU
□□□	□□□□□□□
□□□□	□□□□□□□□
□□□	PVC □□
□□□	□□□□□□□
□□□□	4□12□□38-46□
□□□	3□□□□□□□□□□□□□□□□□□
□□□□□□	□□□□□□□□□□□□□□□□□□□□10□
□□□□□□□□	56x38x31.5cm □38-40□; 58.5x40x32.5cm□41-43□; 61x42x35cm□44-46□
□□□□□□□□□□	3300-3500pairs / 1x20 '□□□□□ 8200-9000pairs / 1x40 'HQ□□□□□

□□PVC□□□□□□□□





□□□□□□□□□□



CHEP□□□□□□□□□□□□□□□□

