

□□□□	PVC□□□□□□□□
□□□□□	098JFR
□□□□□□□□	□□□□□□□□ □□□□□□□□PVC□□□□□□□□□□
□□□□	1.□□□□□□□□□□□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345 STANDARD□□□□□□ □□□□□□ □□□□□□
	2.□□□□□□□□□□□□
□□ □ □□□□□□□□□□	1.□□□□□□□□□□□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345 STANDARD□□□□□□□□□□□□□□□□□□□□□□□□□□□□
	2.□□□□□□□□□□
□□□□	PU□□□□□□□□□□□□□□□□□□
□□	□□□□□□PU
□□□	□□□□□□
□□□□	□□□□□□□□
□□□	PVC □□
□□□	□□□□□□
□□□□	4□12□□38-46□
□□□	3□□□□□□□□□□□□□□□□
□□□□□□	□□□□□□□□□□□□□□□□□□10□
□□□□□□□□	56x38x31.5cm □38-40□; 58.5x40x32.5cm□41-43□; 61x42x35cm□44-46□
□□□□□□□□□□	3300pairs / 1x20 '□□□□ 8200pairs / 1x40 'HQ□□□□

□□□□□□□□□□□□**PVC**□□□□□□□□








□□□□□□□□□□



□□□□□□□□□□□□□□□□



PVC□□□□□□□□□□

Production Process



Raw Materials



Punching



Cutting



Sewing



Eyeleting



Riveting



Heat-setting



Molding



Making Up



Inspection



Packing



Finish Products