

Product Description

□□□□	□□□□□□□□□□□□□□□□□□□□
□□□□□	RB1097
□□□□□□□□	□□□□□□□□□□ □□□□□□
□□□□	1.□□□□200□□□□□□□□□□□□□□ 2.□□□□□□□□□□□□□□□□
□□□□□□□	□□□□□1100□□□□□□□□□□
□□□	1.2 kg / pr
□□	□□□□□□□□□□□
□□	□□□□□
□□□	□□□□□□□□□□□□□□□□□□□□□□□□
□□□	□□□□HI-POLY□□□□□□□□□□□□□□□□□□
□□□	□□□□□
□□□	□□□□□
□□□□	3—13□37-47□
□□□	S1P SRC□□□□□□□□□□□□□□□□
□□□	6□□
□□□□□□	□□□□□□□□□□□□□□□□□□□□□□10□□□□
□□□□□□□	59 x 44 x 33cm
□□□□□□□□□	3200□□/ 1x20 '□□□□ 6400□□/ 1x40 '□□□□

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISE CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NANJI
3211, ZHOUJANG PROVINCE, CHINA

Authorised Representative: HANDEHU SHANGHAI ELECTRICITY APPL. CO., LTD.
1201 Village, Xuyuan Town, Jiangyin District, Suzhou,
Henanjiang Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Group:
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)

Description:

Construction:	Indoor
Terminal:	Open terminal
Material:	Open wire
Core:	CCC
Wire:	CCC (PVC)
Mark:	CCC
Test frequency:	See technical file
Test range:	38-45
Category:	SEP-01A

C.M. 1687-0218

 *P. Li* 1687-0218

Authorized Representative
1201 Village, Xuyuan Town, Jiangyin District, Suzhou,
Henanjiang Province, China

Intertek Testing Services (UK) Limited
15, West Nyack, New York 10994-2133, USA



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY