

□□□□	□□□□□□□□□□□□□□□□□□
□□□□□	3098
□□□□□□□□	□□□□□□□PU□□□□□□□□□□
□□□□	1.□□□□□□□□□□□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345 STANDARD□□□□□□ □□□□□□ □□□□□□
	2.□□□□□□□□□□□□□□
□□ □ □□□□□□□□□□	1.□□□□□□□□□□□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345 STANDARD□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
	2.□□□□□□□□□□
□□□□	PU□□□□□□ □□□□□□□□□□□□□□□□
□□	□□□□□□□PU
□□□	□□□□□□□□□□□□□□□□
□□□□	□□□□□□□□□□
□□□	PU □□
□□□	□□□□□□□
□□□□	4□12□□38-46□
□□□	3□□□□□□□□□□□□□□□□□□
□□□□□□	□□□□□□□□□□□□□□□□□□□□10□
□□□□□□□□	56x38x31.5cm □38-40□; 58.5x40x32.5cm□41-43□; 61x42x35cm□44-46□
□□□□□□□□□□	3500pairs / 1x20 '□□□□□ 9000pairs / 1x40 'HQ□□□□□

3098□□□□□□□□□□□□□□□□□□







3098 RANGERS





□□□□□□□□□□□□

