

## Product Description

Modelo	SD3062
Material	1. PU 2. non PU
Características	1. 200 2. non
Dimensiones	1. 1100 2. 1100
Peso	1.2 kg / pr
Material	PU
Material	PU
Material	EVA
Material	PU
Material	
Modelo	37-473-13
Material	CE EN ISO 20345 SBP SRC
Material	6
Material	c1olor 10
Dimensiones	59 x 44 x 33 cm
Material	3200 / 1x20 6400 / 1x40

## Product Pictures





***Company Information***



**Intertek**

### EC Type Examination Certificate

**CE**

<b>Issued to:</b>	SHANGHAI HONGYUAN SHIYE CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUSUN 2017, JIANGSU PROVINCE, CHINA
<b>Authorised Representative:</b>	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square Street, Jersey Science Centre, Paraga Park, China
<b>Date of Issue:</b>	11 January 2018
<b>Expiry Date:</b>	11 February 2020
<b>Certificate No.:</b>	LEC F0002947 (extension of certificate LEC F0294719)
<b>Product Reference(s):</b>	Safety Plug: 48301-08A02 48301-08A04 48301-08A06 48301-08A08 48301-08A10 48301-08A12
<b>Description:</b>	Construction: Insulation Type: Plug Material: Steel Lead: 0.02 Line: 0.02 (Plugs) Mount: ACS Test Standard: GB 19836.1-2015 Test Range: 0.02-0.12 Category: 009-01A

*C.M.* 16/01/2018  
16/01/2018

**Product Name:** Safety Plug  
**Product Reference:** 48301-08A02-08A12  
**Product Description:** Safety Plug

**Product Name:** Safety Plug  
**Product Reference:** 48301-08A02-08A12  
**Product Description:** Safety Plug



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY