

Product Description

Material	PU
Model	SD5060
Dimensions	1. 200 2. non
Weight	1.2 kg / pr
Color	color
Material	EVA HI-POLY PU
Material	PU
Material	&
Material	EVA HI-POLY PU
Material	PU
Material	
Material	37-47 3-13
Material	CE EN ISO 20345 S1P SRC
Material	6
Material	c 1 olor 10
Material	59 x 44 x 33 cm
Material	3200 / 1x20 6400 / 1x40

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NANJI
3211, ZHOUJIAN PROVINCE, CHINA

Authorised Representative: HANDEHU SHANGHAI ELECTRICITY APPL. CO., LTD.
1201 Village, Xujiahui Town, Xujiahui Street, Shanghai
Pudong District, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170004199)

Product Reference(s): Safety Group:
480V-1000V
480V-1000V
480V-1000V
480V-1000V
480V-1000V
480V-1000V

Description:

Construction:	Insulation
Terminal:	Open terminal
Material:	Open wire
Core:	0.50
Wire:	0.50 (PVC)
Mark:	AC0
Test frequency:	See national file
Test range:	0.5A
Category:	000-010

C.M. 160112018

Product Name: 160112018

Product Reference: 160112018

Product Description: 160112018

Product Category: 160112018



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY