

Product Description

Material	High-density polyethylene
Model	SP027
Material Type	3D printed PU / PU
Material Thickness	200µm ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material Weight	1100g ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Standard	CE EN ISO 20345 S1P SRC
Color	Black
Print Type	3D printed
Print Resolution	0.1mm
Print Speed	0.1mm
Material Composition	EVA HI-POLY PU
Material Type	PU
Material Weight	0.1g
Material Thickness	38-46µm
Material Weight	6g
Material Weight	s/mm/mm/mm
Material Weight	10mm 58.5 x 40 x 32.5 cm
Material Weight	3300mm/ 1x20 'mm 6600mm/ 1x40mm

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY