

Product Description

Max. temperature	300°C
Model	TC001
Material	PU & ...
Dimensions	1. 200 ... 2. non ...
Weight	1 kg ... 1100 ... 2 kg ...
Weight per unit	1.2 kg / pr
Material	PU
Material	PU & ...
Material	ketp
Material	HI-POLY PU
Material	
Material	
Material	37-47 3-13
Material	CE EN ISO 20345 SBP SRC
Material	6
Material	10
Material	59 x 44 x 33 cm
Material	3200 / 1x20 ' ... 6400 / 1x40 ' ...

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHIYI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDEHU SHANGHAI PRODUCTIVE APPL. CO., LTD.
1201 Village, Xujiao Town, Jiangsu Economic Zone,
Huzhou City, Zhejiang Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170004199)

Product Reference(s): Safety Plug
480V 10A/15A
480V 10A/20A
480V 10A/25A
480V 10A/30A
500V 20A 15W-30W

Description:

Construction:	Insulation
Terminal:	Open contact
Material:	Open slot
Lead:	0.05
Wire:	0.05 (PVC)
Mount:	ACB
Test frequency:	See national file
Test range:	20-40
Category:	001-010

Authorized Representative: *C.M.* 1687-02918

Intertek Representative: *[Signature]* 1687-02918

Intertek (UK) Ltd
15, West Nyack Lane, West Nyack, NY 10994-2133, USA
15, West Nyack Lane, West Nyack, NY 10994-2133, USA

 **Product Reference:** *[Signature]* 1687-02918

Intertek (UK) Ltd
15, West Nyack Lane, West Nyack, NY 10994-2133, USA
15, West Nyack Lane, West Nyack, NY 10994-2133, USA



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY