Product Description

[illegible]	[illegible]
[illegible]	TH004
[illegible]	[illegible] [illegible]PU&[illegible]
[illegible]	1.[illegible]200[illegible]
	2. non[illegible]
[illegible]	1[illegible] 1100 [illegible] 2[illegible]
[illegible]	1.2 kg / pr
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]HI-POLY[illegible]PU[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	37-47[illegible]3-13[illegible]
[illegible]	CE EN ISO 20345 SBP SRC[illegible]
[illegible]	6[illegible]
[illegible]	[illegible]10[illegible]
[illegible]	59 x 44 x 33 cm
[illegible]	3200[illegible]/ 1x20 '[illegible] 6400[illegible]/ 1x40 ’[illegible]

Product Pictures

Company Information

Intertek

EC Type Examination Certificate

CE

Issued to:

Authorised Representative:

Date of Issue:

Expiry Date:

Certificate No.

Product Reference(s):

Description:

Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY