







## Company Information





### EC Type Examination Certificate

<b>CE</b>	<b>Issued to:</b> FUJIAN HONGJIAN SHISE CO., LTD. SANGU INDUSTRIAL ZONE, JIANGHAI TOWN, HUNAN CITY, HUNAN PROVINCE, CHINA																																
<b>Authorisation:</b> <b>Product Reference:</b>	LEDs and LED LIGHTING PRODUCTS APPL. (S. 17) LED Light Source Type: Airwing Series Module Hangzhou Province, China																																
<b>Equipment Model:</b> T222	<b>Date of Issue:</b> 11 January 2018																																
<b>Expiry Date:</b> 11 February 2020	<b>Certificate No.:</b> L2C170002947 (extension of certificate L2C170294719)																																
<b>Product Reference(s):</b>	<b>Category:</b> LED Light Source																																
<b>Description:</b>	<b>Technical Details:</b>																																
	<table border="0" style="width: 100%;"> <tr> <td>Construction:</td> <td>Indoor</td> </tr> <tr> <td>Colour:</td> <td>Blue</td> </tr> <tr> <td>Mount:</td> <td>Surface Mount</td> </tr> <tr> <td>Power:</td> <td>2000-3000mW</td> </tr> <tr> <td>Beam Angle:</td> <td>180°</td> </tr> <tr> <td>Beam Diameter:</td> <td>18mm</td> </tr> <tr> <td>Beam Diameter at 1m:</td> <td>1800mm</td> </tr> <tr> <td>Beam Diameter at 2m:</td> <td>3600mm</td> </tr> <tr> <td>Beam Diameter at 3m:</td> <td>5400mm</td> </tr> <tr> <td>Beam Diameter at 4m:</td> <td>7200mm</td> </tr> <tr> <td>Beam Diameter at 5m:</td> <td>9000mm</td> </tr> <tr> <td>Beam Diameter at 6m:</td> <td>10800mm</td> </tr> <tr> <td>Beam Diameter at 7m:</td> <td>12600mm</td> </tr> <tr> <td>Beam Diameter at 8m:</td> <td>14400mm</td> </tr> <tr> <td>Beam Diameter at 9m:</td> <td>16200mm</td> </tr> <tr> <td>Beam Diameter at 10m:</td> <td>18000mm</td> </tr> </table>	Construction:	Indoor	Colour:	Blue	Mount:	Surface Mount	Power:	2000-3000mW	Beam Angle:	180°	Beam Diameter:	18mm	Beam Diameter at 1m:	1800mm	Beam Diameter at 2m:	3600mm	Beam Diameter at 3m:	5400mm	Beam Diameter at 4m:	7200mm	Beam Diameter at 5m:	9000mm	Beam Diameter at 6m:	10800mm	Beam Diameter at 7m:	12600mm	Beam Diameter at 8m:	14400mm	Beam Diameter at 9m:	16200mm	Beam Diameter at 10m:	18000mm
Construction:	Indoor																																
Colour:	Blue																																
Mount:	Surface Mount																																
Power:	2000-3000mW																																
Beam Angle:	180°																																
Beam Diameter:	18mm																																
Beam Diameter at 1m:	1800mm																																
Beam Diameter at 2m:	3600mm																																
Beam Diameter at 3m:	5400mm																																
Beam Diameter at 4m:	7200mm																																
Beam Diameter at 5m:	9000mm																																
Beam Diameter at 6m:	10800mm																																
Beam Diameter at 7m:	12600mm																																
Beam Diameter at 8m:	14400mm																																
Beam Diameter at 9m:	16200mm																																
Beam Diameter at 10m:	18000mm																																



*C.M.*

Authorized Signatory  
EU Notified Body of CE Marking (Directive 2002/95/EC)

1501/2018  
Date

1501/2018  
Date



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY